

From: [Thorneloe, Susan](#)
To: [Helms, Greg](#)
Cc: [Andrew Charles Garrabrants](#); [Kariher, Peter](#)
Subject: Fw: Summary of Agremax EPA report and AES comments for OSWER Mgt
Date: Monday, March 11, 2013 12:56:57 PM
Attachments: [image001.gif](#)
[Summary Leaching of AGREMAX \(ACG 3-11-13\).docx](#)

FYI - comments from Andy.

From: Garrabrants, Andrew Charles
Sent: Monday, March 11, 2013 12:19:54 PM
To: Thorneloe, Susan
Subject: RE: Summary of Agremax EPA report and AES comments for OSWER Mgt

Here you go. Forward it to anyone you think appropriate.

Andrew C. Garrabrants, Ph.D.

Associate Research Professor

Department of Civil & Environmental Engineering
Vanderbilt University
VU Station B35-1831
2301 Vanderbilt Pl, Nashville, TN 37235
615-322-7226 office
615-322-3365 fax

FedEx and UPS:
400 24th Avenue South
Jacobs Hall 281
Nashville, TN 37235

From: Thorneloe, Susan [mailto:Thorneloe.Susan@epa.gov]
Sent: Monday, March 11, 2013 11:18 AM
To: Garrabrants, Andrew Charles; Kariher, Peter
Subject: Re: Summary of Agremax EPA report and AES comments for OSWER Mgt

I would appreciate that.

From: Garrabrants, Andrew Charles
Sent: Monday, March 11, 2013 11:10:28 AM
To: Thorneloe, Susan
Subject: RE: Summary of Agremax EPA report and AES comments for OSWER Mgt



Since I was the primary author of the report, do you want me to take a quick look at this?

Andrew C. Garrabrants, Ph.D.

Associate Research Professor

Department of Civil & Environmental Engineering
Vanderbilt University
VU Station B35-1831
2301 Vanderbilt Pl, Nashville, TN 37235
615-322-7226 office
615-322-3365 fax

FedEx and UPS:
400 24th Avenue South
Jacobs Hall 281
Nashville, TN 37235

From: Thorneloe, Susan [<mailto:Thorneloe.Susan@epa.gov>]

Sent: Monday, March 11, 2013 9:40 AM

To: Helms, Greg; Kosson, David S; Garrabrants, Andrew Charles; Kariher, Peter

Cc: Shores, Richard

Subject: Re: Summary of Agremax EPA report and AES comments for OSWER Mgt

How soon do you need comments?

I have asked permission to resume our mtgs that include everyone. I am waiting on a response.

Regardless, I think I would be permitted to respond to the comments since this is our rpt\$ I will need to document that we have been requested to respond but let's go ahead and review as time permits.

From: Helms, Greg

Sent: Monday, March 11, 2013 9:26:12 AM

To: Thorneloe, Susan; Kosson, David S; Andy Garrabrants

Subject: Summary of Agremax EPA report and AES comments for OSWER Mgt



Susan/David/Andy-

Any comments?

I tried to boil this down as much as I could for our managers. Did I miss or mischaracterize anything?

U.S. FOIA Exempt (b) (5)

Gregory Helms

U.S. EPA

Waste Characterization Branch

Office of Solid Waste and Emergency Response

phone: 703-308-8845

fax: 703-308-0514

helms.greg@epa.gov

Address for regular/USPS mail:

1200 Pennsylvania Ave. NW

Mail Code 5304P

Washington, DC 20460

Address for overnight/hand delivery mail:

Two Potomac Yard

2733 S. Crystal Dr.

5th Floor; N-5611

Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:

www.epa.gov/epawaste/inforesources/pubs/orientat/